



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranjan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab : G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph : 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : A/485
Job Identification. : 1116/17-18
Date : 26-05-2017
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)
Dhedwas Iron Ore Copper & Associated Minerals Mines Arajai No.
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara
District-Bhilwara 311802 (Rajasthan)
Type of Unit : Mines
Type of Sample : Ambient Air Quality Monitoring
Date of Sample Collection/Monitoring : 12-05-2017
Date of Sample Receipt : 20-05-2017
Date of Test : 20-05-2017 to 26-05-2017
Sample Collected By : Satyendra Kumar Sharma
Point of Collection : Tiranga Pit (Mining Area)

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m ³]	350	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO ₂ [microgram/m ³]	17.11	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m ³]	349.5	IS 5182 (Part 4) : 1999 Reaffirmed 2014	400
4	Particulate Matter (PM _{2.5}) [microgram/m ³]	35.69	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m ³]	8.7	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m ³]	87.63	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Puran Mani Yogi
Senior Analyst


Rajesh Maneshwar
Authorized Signatory
(Report No: A/485)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitranjan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : A/487
Job Identification. : 1119/17-18
Date : 26-05-2017
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara
District-Bhilwara 311802 (Rajasthan)
Type of Unit : Mines
Type of Sample : Ambient Air Quality Monitoring
Date of Sample Collection/Monitoring : 12-05-2017
Date of Sample Receipt : 20-05-2017
Date of Test : 20-05-2017 to 26-05-2017
Sample Collected By : Satyendra Kumar Sharma
Point of Collection : Samodi village

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	210	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	12.58	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	245.15	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	28.06	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	6.33	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	61.94	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Maurya
Puran Maurya
Senior Analyst

Rajesh
Rajesh Maheshwari
Authorized Signatory
(Report No: A/487)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : A/488
Job Identification. : 1118/17-18
Date : 26-05-2017
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara
District-Bhilwara 311802 (Rajasthan)
Type of Unit : Mines
Type of Sample : Ambient Air Quality Monitoring
Date of Sample Collection/Monitoring : 15-05-2017
Date of Sample Receipt : 20-05-2017
Date of Test : 20-05-2017 to 26-05-2017
Sample Collected By : Satyendra Kumar Sharma
Point of Collection : Dhulkhera Pit

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m ³]	340	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO ₂ [microgram/m ³]	12.63	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m ³]	279.64	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM _{2.5}) [microgram/m ³]	26.42	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m ³]	6.48	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM ₁₀) [microgram/m ³]	77.5	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi
Senior Analyst

Rajesh Maheshwari
Authorized Signatory
(Report No: A/488)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph. : 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : A/486
Job Identification. : 1117/17-18
Date : 26-05-2017
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)
Dhedwas Iron Ore Copper & Associated Minerals Mines Araji No.
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara
District-Bhilwara 311802 (Rajasthan)
Type of Unit : Mines
Type of Sample : Ambient Air Quality Monitoring
Date of Sample Collection/Monitoring : 17-05-2017
Date of Sample Receipt : 20-05-2017
Date of Test : 20-05-2017 to 26-05-2017
Sample Collected By : Satyendra Kumar Sharma
Point of Collection : Near Suras Pit (Near Weigh Bridge)

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m ³]	330	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide-as NO ₂ [microgram/m ³]	15.59	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m ³]	320.74	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM _{2.5}) [microgram/m ³]	26.73	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m ³]	6.3	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM ₁₀) [microgram/m ³]	79.22	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi
Senior Analyst

Rajesh Maheshwari
Authorized Signatory
(Report No: A/486)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph : 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : A/539
Job Identification : 1486/17-18
Date : 02-06-2017
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara
District-Bhilwara 311802 (Rajasthan)
Type of Unit : Mines
Type of Sample : Ambient Air Quality Monitoring
Date of Sample Collection/Monitoring : 25-05-2017
Date of Sample Receipt : 30-05-2017
Date of Test : 30-05-2017 to 02-06-2017
Sample Collected By : Sandeep Kumar
Point of Collection : Tiranga Pit (Mining Face)

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m ³]	380	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO ₂ [microgram/m ³]	15	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m ³]	292.72	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM _{2.5}) [microgram/m ³]	30.61	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m ³]	8.76	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM ₁₀) [microgram/m ³]	86.5	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi
Senior Analyst

Rajesh Maheshwan
Authorized Signatory
(Report No: A/539)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : A/542
Job Identification. : 1489/17-18
Date : 02-06-2017
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)
Dhedwas Iron Ore Copper & Associated Minerals Mines Arajji No.
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhitwara
District-Bhitwara 311802 (Rajasthan)
Type of Unit : Mines
Type of Sample : Ambient Air Quality Monitoring
Date of Sample Collection/Monitoring : 26-05-2017
Date of Sample Receipt : 30-05-2017
Date of Test : 30-05-2017 to 02-06-2017
Sample Collected By : Sandeep Kumar
Point of Collection : Samodi village

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m ³]	220	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO ₂ [microgram/m ³]	10.62	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m ³]	218.82	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM _{2.5}) [microgram/m ³]	23.29	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m ³]	5.36	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM ₁₀) [microgram/m ³]	69.46	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi
Senior Analyst

Rajesh Maheshwari
Authorized Signatory
(Report No: A/542)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : A/541
Job Identification : 1488/17-18
Date : 02-06-2017
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara
District-Bhilwara 311802 (Rajasthan)
Type of Unit : Mines
Type of Sample : Ambient Air Quality Monitoring
Date of Sample Collection/Monitoring : 26-05-2017
Date of Sample Receipt : 30-05-2017
Date of Test : 30-05-2017 to 02-06-2017
Sample Collected By : Sandeep Kumar
Point of Collection : Dhulkhera Pit

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	410	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	12.62	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	214.57	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	31.15	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	5.17	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	75.89	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal
Puran Mal Yogi
Senior Analyst

Rajesh
Rajesh Maheshwan
Authorized Signatory
(Report No: A/541)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : A/540
Job Identification. : 1487/17-18
Date : 02-06-2017
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara
District-Bhilwara 311802 (Rajasthan)

Type of Unit : Mines
Type of Sample : Ambient Air Quality Monitoring
Date of Sample Collection/Monitoring : 26-05-2017
Date of Sample Receipt : 30-05-2017
Date of Test : 30-05-2017 to 02-06-2017
Sample Collected By : Sandeep Kumar
Point of Collection : Suras Pit Near Dhaba

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	370	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	14.59	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	299.45	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	33.24	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	6.57	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	80.17	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes -

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran
Puran Mal Yogi
Senior Analyst

Rajesh
Rajesh Maheshwari
Authorized Signatory
(Report No: A/540)