



Test Report

Sample Number : VEL/AP/02

Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2508131014

Format No : 7.8 F-03

Party Reference No : By Mail

Reporting Date : 21/08/2025

Period of Analysis : 13/08/2025-19/08/2025

Receipt Date : 13/08/2025

ULR No. : TC629925200008975F

Name of Sample : Ambient Air

Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Lampiya
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/07 & FPS/07
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 12/08/2025 To 13/08/2025
Time of Monitoring : 09:50 AM To 09:50 AM
Ambient Temperature (°C) : Min.25°C, Max.33°C
Surrounding Activity : Human & Vehicular Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Units	Limits as per NAAQS
Discipline : Chemical					
1	Particulate Matter as (PM2.5)	IS 5182 (P-24):2019	51.62	µg/m3	60
2	Particulate Matter as (PM10)	IS 5182 (P-23):2006 RA:2017	89.53	µg/m3	100
3	Suspended Particulate Matter	IS 5182 (P-4): 1999 RA:2019	261.21	µg/m3	Not Specified
4	Nitrogen Dioxide as (NO2)	IS 5182 (P-6) : 2006,RA:2022	16.02	µg/m3	80
5	Sulphur Dioxide as (SO2)	IS 5182 (P-2) : RA:2023	13.21	µg/m3	80
6	#Carbon Monoxide as CO (by NDIR)	IS 5182 (P-10):1999	0.63	mg/m3	4

#Indicates 1 hour monitoring of CO.

End of Report

Reviewed By

21/08/25
Dr. Technical Manager

Authorized Signatory

Shiv Prakash
Authorized Signatory

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not given the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

www.vardan.co.in



Test Report

Sample Number : VEL/AP/01
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2508131013
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 21/08/2025
Period of Analysis : 13/08/2025-19/08/2025
Receipt Date : 13/08/2025
ULR No. : TC629925200008974F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information
Sampling Location : Village-Kamalpura
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/06 & FPS/06
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 12/08/2025 To 13/08/2025
Time of Monitoring : 09:26 AM To 09:26 AM
Ambient Temperature (°C) : Min.25°C, Max.33°C
Surrounding Activity : Human & Vehicular Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Units	Limits as per NAAQS
Discipline : Chemical					
1	Particulate Matter as (PM2.5)	IS 5182 (P-24):2019	55.66	µg/m3	60
2	Particulate Matter as (PM10)	IS 5182 (P-23):2006 RA:2017	85.40	µg/m3	100
3	Suspended Particulate Matter	IS 5182 (P-4): 1999 RA:2019	244.34	µg/m3	Not Specified
4	Nitrogen Dioxide as (NO2)	IS 5182 (P-6) : 2006,RA:2022	17.56	µg/m3	80
5	Sulphur Dioxide as (SO2)	IS 5182 (P-2) : RA:2023	13.64	µg/m3	80
6	#Carbon Monoxide as CO (by NDIR)	IS 5182 (P-10):1999	0.68	mg/m3	4

#-Indicates 1 hour monitoring of CO.

End of Report

Reviewed By

21/08/25
Devendra Kumar
Dt. Technical Manager

Authorized Signatory

Ravash Singh
Authorized Signatory

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not shown the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through bd@environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

www.vardan.co.in



Test Report

Sample Number : VEL/AP/04
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2508131016
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 21/08/2025
Period of Analysis : 13/08/2025-20/08/2025
Receipt Date : 13/08/2025
ULR No. : TC629925200008977F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Devpura
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/09 & FPS/09
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 12/08/2025 To 13/08/2025
Time of Monitoring : 10:55 AM To 10:55 AM
Ambient Temperature (°C) : Min.25°C, Max.33°C
Surrounding Activity : Human & Vehicular Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Units	Limits as per NAAQS
Discipline : Chemical					
1	Particulate Matter as (PM2.5)	IS 5182 (P-24):2019	52.62	µg/m3	60
2	Particulate Matter as (PM10)	IS 5182 (P-23):2006 RA:2017	83.85	µg/m3	100
3	Suspended Particulate Matter	IS 5182 (P-4): 1999 RA:2019	261.85	µg/m3	Not Specified
4	Nitrogen Dioxide as (NO2)	IS 5182 (P-6) : 2006,RA:2022	16.33	µg/m3	80
5	Sulphur Dioxide as (SO2)	IS 5182 (P-2) : RA:2023	14.22	µg/m3	80
6	#Carbon Monoxide as CO (by NDIR)	IS 5182 (P-10):1999	0.72	mg/m3	4

#Indicates 1 hour monitoring of CO.

End of Report

Reviewed By

21/08/25
Dipendra Kumar
Dr. Technical Manager
VARDAN ENVIROLAB LLP

Authorized Signatory

Shiv Prakash Singh
Authorized Signatory
VARDAN ENVIROLAB LLP

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

www.vardan.co.in

Customer Care: 8010127843, Ph: 0124-4343750, 9810355569, 9953147268 | E-mail: environment@vardan.co.in, bd@vardan.co.in



Vardan Envirolab LLP

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (HR)
ISO 9001 | ISO 14001 | ISO 45001



Test Report

Page No. 1/1

Sample Number : VEL/AP/03
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2508131015
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 21/08/2025
Period of Analysis : 13/08/2025-20/08/2025
Receipt Date : 13/08/2025
ULR No. : TC629925200008976F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Jaliya
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/08 & FPS/08
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 12/08/2025 To 13/08/2025
Time of Monitoring : 10:25 AM To 10:25 AM
Ambient Temperature (°C) : Min.25°C, Max.33°C
Surrounding Activity : Human & Vehicular Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Units	Limits as per NAAQS
Discipline : Chemical					
1	Particulate Matter as (PM2.5)	IS 5182 (P-24):2019	50.00	µg/m3	60
2	Particulate Matter as (PM10)	IS 5182 (P-23):2006 RA:2017	91.18	µg/m3	100
3	Suspended Particulate Matter	IS 5182 (P-4): 1999 RA:2019	253.78	µg/m3	Not Specified
4	Nitrogen Dioxide as (NO2)	IS 5182 (P-6) : 2006,RA:2022	20.20	µg/m3	80
5	Sulphur Dioxide as (SO2)	IS 5182 (P-2) : RA:2023	12.99	µg/m3	80
6	#Carbon Monoxide as CO (by NDIR)	IS 5182 (P-10):1999	0.65	mg/m3	4

#-Indicates 1 hour monitoring of CO.

End of Report

Reviewed By

21/08/2025
Devidra Kumar
Dy. Technical Manager

Authorized Signatory

Dr. Shiv Prakash Singh
21/08/2025
Authorised Signatory

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn (as applicable) to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

www.vardan.co.in

Customer Care: 8010127843, Ph: 0124-4343750, 9810355569, 9953147268 | E-mail: environment@vardan.co.in, bd@vardan.co.in



Test Report

Sample Number : VEL/AP/02
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
 Araji No-9697/6711, Near Tiranga Hills, District-
 Bhilwara-311802 (Raj)
Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

Report No. : VEL/AP/2508271031
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 03/09/2025
Period of Analysis : 27/08/2025-01/09/2025
Receipt Date : 27/08/2025
ULR No. : TC629925200009411F

General Information

Sampling Location : Village-Lampiya
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/07 & FPS/07
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 26/08/2025 To 27/08/2025
Time of Monitoring : 10:15 AM To 10:15 AM
Ambient Temperature (°C) : Min.24°C, Max.32°C
Surrounding Activity : Human & Vehicular Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Units	Limits as per NAAQS
Discipline : Chemical					
1	Particulate Matter as (PM2.5)	IS 5182 (P-24):2019	49.91	µg/m3	60
2	Particulate Matter as (PM10)	IS 5182 (P-23):2006 RA:2017	95.35	µg/m3	100
3	Suspended Particulate Matter	IS 5182 (P-4): 1999 RA:2019	244.68	µg/m3	Not Specified
4	Nitrogen Dioxide as (NO2)	IS 5182 (P-6) : 2006,RA:2022	17.25	µg/m3	80
5	Sulphur Dioxide as (SO2)	IS 5182 (P-2) : RA:2023	13.43	µg/m3	80
6	#Carbon Monoxide as CO (by NDIR)	IS 5182 (P-10):1999	0.67	mg/m3	4

#-Indicates 1 hour monitoring of CO.

End of Report

Reviewed By

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

Devendra Kumar
 08/09/25
 Dr. Technical Manager
 VARDAN ENVIROLAB LLP

Authorized Signatory
 Dr. Shivakash Singh
 Authorized Signatory
 VARDAN ENVIROLAB LLP

www.vardan.co.in



Test Report

Sample Number : VEL/AP/01
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
 Araji No-9697/6711, Near Tiranga Hills, District-
 Bhilwara-311802 (Raj)
Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

Report No. : VEL/AP/2508271030
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 03/09/2025
Period of Analysis : 27/08/2025-01/09/2025
Receipt Date : 27/08/2025
ULR No. : TC629925200009410F

General Information

Sampling Location : Village-Kamalpura
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/06 & FPS/06
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 26/08/2025 To 27/08/2025
Time of Monitoring : 09:55 AM To 09:55 PM
Ambient Temperature (°C) : Min.24°C, Max.32°C
Surrounding Activity : Human & Vehicular Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Units	Limits as per NAAQS
Discipline : Chemical					
1	Particulate Matter as (PM2.5)	IS 5182 (P-24):2019	51.91	µg/m3	60
2	Particulate Matter as (PM10)	IS 5182 (P-23):2006 RA:2017	81.22	µg/m3	100
3	Suspended Particulate Matter	IS 5182 (P-4): 1999 RA:2019	236.90	µg/m3	Not Specified
4	Nitrogen Dioxide as (NO2)	IS 5182 (P-6) : 2006,RA:2022	15.72	µg/m3	80
5	Sulphur Dioxide as (SO2)	IS 5182 (P-2) : RA:2023	10.90	µg/m3	80
6	#Carbon Monoxide as CO (by NDIR)	IS 5182 (P-10):1999	0.65	mg/m3	4

#-indicates 1 hour monitoring of CO.

End of Report

Reviewed By

Devendra Kumer
 03/09/25
 VARDAN ENVIROLAB LLP
 Devendra Kumer
 Dy. Technical Manager

Authorized Signatory

Dr. Prakash Singh
 VARDAN ENVIROLAB LLP
 * Authorised Signatory

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any Court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

www.vardan.co.in



Test Report

Page No. 1/1

Sample Number : VEL/AP/03
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2508271032
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 03/09/2025
Period of Analysis : 27/08/2025-01/09/2025
Receipt Date : 27/08/2025
ULR No. : TC629925200009412F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General information

Sampling Location : Village-Davpura
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/08 & FPS/08
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 26/08/2025 To 27/08/2025
Time of Monitoring : 10:45 AM To 10:45 AM
Ambient Temperature (°C) : Min.24°C, Max.32°C
Surrounding Activity : Human & Vehicular Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Units	Limits as per NAAQS
Discipline : Chemical					
1	Particulate Matter as (PM2.5)	IS 5182 (P-24):2019	55.62	µg/m3	60
2	Particulate Matter as (PM10)	IS 5182 (P-23):2006 RA:2017	87.14	µg/m3	100
3	Suspended Particulate Matter	IS 5182 (P-4): 1999 RA:2019	243.61	µg/m3	Not Specified
4	Nitrogen Dioxide as (NO2)	IS 5182 (P-6) : 2006,RA:2022	15.90	µg/m3	80
5	Sulphur Dioxide as (SO2)	IS 5182 (P-2) : RA:2023	12.13	µg/m3	80
6	#Carbon Monoxide as CO (by NDIR)	IS 5182 (P-10):1999	0.66	mg/m3	4

#-Indicates 1 hour monitoring of CO.

End of Report


Reviewed By

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.



Authorized Signatory



www.vardan.co.in



Test Report

Sample Number : VEL/AP/04
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
 Araji No-9697/6711, Near Tiranga Hills, District-
 Bhilwara-311802 (Raj)
Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

Report No. : VEL/AP/2508271033
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 03/09/2025
Period of Analysis : 27/08/2025-01/09/2025
Receipt Date : 27/08/2025
ULR No. : TC629925200009413F

General Information
Sampling Location : Village-Jaliya
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/09 & FPS/09
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 26/08/2025 To 27/08/2025
Time of Monitoring : 11:20 AM To 11:20 AM
Ambient Temperature (°C) : Min.24°C, Max.32°C
Surrounding Activity : Human & Vehicular Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Units	Limits as per NAAQS
Discipline : Chemical					
1	Particulate Matter as (PM2.5)	IS 5182 (P-24):2019	52.58	µg/m3	60
2	Particulate Matter as (PM10)	IS 5182 (P-23):2006 RA:2017	91.84	µg/m3	100
3	Suspended Particulate Matter	IS 5182 (P-4): 1999 RA:2019	246.02	µg/m3	Not Specified
4	Nitrogen Dioxide as (NO2)	IS 5182 (P-6) : 2006,RA:2022	20.14	µg/m3	80
5	Sulphur Dioxide as (SO2)	IS 5182 (P-2) : RA:2023	14.44	µg/m3	80
6	#Carbon Monoxide as CO (by NDIR)	IS 5182 (P-10):1999	0.71	mg/m3	4

#-Indicates 1 hour monitoring of CO.

End of Report

Reviewed By

[Signature]
 03/09/25
 VARDAN ENVIROLAB LLP
 Deveshwar Kumar
 Technical Manager

Authorized Signatory

[Signature]
 VARDAN ENVIROLAB LLP
 Dr. Shiv Prakash Singh
 Authorised Signatory

Terms & Conditions

- The results reported relate only to the samples tested. In case samples are not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

www.vardan.co.in