



Vardan Envirolab LLP

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (HR)
ISO 9001 | ISO 14001 | ISO 45001



Test Report

Page No. 1/1

Sample Number : VEL/AP/03
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/Z505051067
Format No : 7,9 F-09
Party Reference No : By Mail
Reporting Date : 12/05/2025
Period of Analysis : 05/05/2025-09/05/2025
Receipt Date : 05/05/2025
ULR No. : TC629925200004992F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Jailiya
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/03 & FPS/03
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 02/05/2025 To 03/05/2025
Time of Monitoring : 09:35 AM To 09:35 AM
Ambient Temperature (°C) : Min.24°C, Max.45°C
Surrounding Activity : Human, Vehicular & Others Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours
Parameter Required : As per work order

| S.No. | Test Parameters | Test Method | Results | Units | Limits as per NAAQS |
|------------------------------|----------------------------------|------------------------------|---------|-------|---------------------|
| Discipline : Chemical | | | | | |
| 1 | Particulate Matter as (PM2.5) | IS 5182 (P-24):2019 | 49.11 | µg/m3 | 60 |
| 2 | Particulate Matter as (PM10) | IS 5182 (P-23):2006 RA:2017 | 87.28 | µg/m3 | 100 |
| 3 | Suspended Particulate Matter | IS 5182 (P-4): 1999 RA:2019 | 247.89 | µg/m3 | Not Specified |
| 4 | Nitrogen Dioxide as (NO2) | IS 5182 (P-6) : 2006,RA:2022 | 24.18 | µg/m3 | 80 |
| 5 | Sulphur Dioxide as (SO2) | IS 5182 (P-2) : RA:2023 | 16.85 | µg/m3 | 80 |
| 6 | #Carbon Monoxide as CO (by NDIR) | IS 5182 (P-10):1999 | 0.64 | mg/m3 | 4 |

#-indicates 1 hour monitoring of CO.

End of Report

Reviewed By



Authorized Signatory



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.



Vardan Envirolab LLP

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (HR)
ISO 9001 | ISO 14001 | ISO 45001



Test Report

Page No. 1/1

Sample Number : VEL/AP/04

Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2505051068

Format No : 7.8 F-03

Party Reference No : By Mail

Reporting Date : 12/05/2025

Period of Analysis : 05/05/2025-09/05/2025

Receipt Date : 05/05/2025

ULR No. : TC629925200004993F

Name of Sample : Ambient Air

Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Davpura
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/04 & FPS/04
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 02/05/2025 To 03/05/2025
Time of Monitoring : 10:15 AM To 10:15 AM
Ambient Temperature (°C) : Min.24°C, Max.45°C
Surrounding Activity : Human, Vehicular & Others Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours
Parameter Required : As per work order

| S.No. | Test Parameters | Test Method | Results | Units | Limits as per NAAQS |
|------------------------------|--|------------------------------|---------|-------------------|---------------------|
| Discipline : Chemical | | | | | |
| 1 | Particulate Matter as (PM _{2.5}) | IS 5182 (P-24):2019 | 42.74 | µg/m ³ | 60 |
| 2 | Particulate Matter as (PM ₁₀) | IS 5182 (P-23):2006 RA:2017 | 86.69 | µg/m ³ | 100 |
| 3 | Suspended Particulate Matter | IS 5182 (P-4): 1999 RA:2019 | 340.15 | µg/m ³ | Not Specified |
| 4 | Nitrogen Dioxide as (NO ₂) | IS 5182 (P-6) : 2006,RA:2022 | 25.47 | µg/m ³ | 80 |
| 5 | Sulphur Dioxide as (SO ₂) | IS 5182 (P-2) : RA:2023 | 15.17 | µg/m ³ | 80 |
| 6 | #Carbon Monoxide as CO (by NDIR) | IS 5182 (P-10):1999 | 0.71 | mg/m ³ | 4 |

#-indicates 1 hour monitoring of CO.


End of Report

Reviewed By



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertisement or any other purpose.



Vardan Envirolab LLP

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (HR)
ISO 9001 | ISO 14001 | ISO 45001



TC-6299

Test Report

Page No. 1/1

Sample Number : VEL/AP/01
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2505051065
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 12/05/2025
Period of Analysis : 05/05/2025-09/05/2025
Receipt Date : 05/05/2025
ULR No. : TC629925200004990F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information


Sampling Location : Village-Kamalpura
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/01 & FPS/01
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 02/05/2025 To 03/05/2025
Time of Monitoring : 08:40 AM To 08:40 AM
Ambient Temperature (°C) : Min.24°C, Max.45°C
Surrounding Activity : Human, Vehicular & Others Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours
Parameter Required : As per work order

| S.No. | Test Parameters | Test Method | Results | Units | Limits as per NAAQS |
|------------------------------|----------------------------------|------------------------------|---------|-------|---------------------|
| Discipline : Chemical | | | | | |
| 1 | Particulate Matter as (PM2.5) | IS 5182 (P-24):2019 | 44.90 | µg/m3 | 60 |
| 2 | Particulate Matter as (PM10) | IS 5182 (P-23):2006 RA:2017 | 85.38 | µg/m3 | 100 |
| 3 | Suspended Particulate Matter | IS 5182 (P-4): 1999 RA:2019 | 248.20 | µg/m3 | Not Specified |
| 4 | Nitrogen Dioxide as (NO2) | IS 5182 (P-6) : 2006,RA:2022 | 25.64 | µg/m3 | 80 |
| 5 | Sulphur Dioxide as (SO2) | IS 5182 (P-2) : RA:2023 | 17.54 | µg/m3 | 80 |
| 6 | #Carbon Monoxide as CO (by NDIR) | IS 5182 (P-10):1999 | 0.65 | mg/m3 | 4 |

#-indicates 1 hour monitoring of CO.

End of Report

Reviewed By



Authorized Signatory



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for any other purpose.



Vardan Envirolab LLP

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (HR)
ISO 9001 | ISO 14001 | ISO 45001



TG-6299

Test Report

Page No. 1/1

Sample Number : VEL/AP/02
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2505051066
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 12/05/2025
Period of Analysis : 05/05/2025-09/05/2025
Receipt Date : 05/05/2025
ULR No. : TC629925200004991F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Lampiya
Sample Collected By : VEL Representative (Mr. Kamlesh)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/02 & FPS/02
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 02/05/2025 To 03/05/2025
Time of Monitoring : 09:05 AM To 09:05 AM
Ambient Temperature (°C) : Min.24°C, Max.45°C
Surrounding Activity : Human, Vehicular & Others Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours
Parameter Required : As per work order

| S.No. | Test Parameters | Test Method | Results | Units | Limits as per NAAQS |
|-----------------------|--|------------------------------|---------|-------------------|---------------------|
| Discipline : Chemical | | | | | |
| 1 | Particulate Matter as (PM2.5) | IS 5182 (P-24):2019 | 46.82 | µg/m ³ | 60 |
| 2 | Particulate Matter as (PM10) | IS 5182 (P-23):2006 RA:2017 | 87.32 | µg/m ³ | 100 |
| 3 | Suspended Particulate Matter | IS 5182 (P-4): 1999 RA:2019 | 231.90 | µg/m ³ | Not Specified |
| 4 | Nitrogen Dioxide as (NO ₂) | IS 5182 (P-6) : 2006,RA:2022 | 24.92 | µg/m ³ | 80 |
| 5 | Sulphur Dioxide as (SO ₂) | IS 5182 (P-2) : RA:2023 | 15.39 | µg/m ³ | 80 |
| 6 | #Carbon Monoxide as CO (by NDIR) | IS 5182 (P-10):1999 | 0.71 | mg/m ³ | 4 |

#-indicates 1 hour monitoring of CO.

End of Report

Reviewed By



Authorized Signatory



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for any other purpose without the written permission of the laboratory.



Vardan Envirolab LLP

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (HR)
ISO 9001 | ISO 14001 | ISO 45001



Test Report

Page No. 1/1

Sample Number : VEL/AP/01
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2505271014
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 31/05/2025
Period of Analysis : 27/05/2025-29/05/2025
Receipt Date : 27/05/2025
ULR No. : TC629925200005716F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Kamalpura
Sample Collected By : VEL Representative (Mr. Rajesj)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/01 & FPS/01
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 24/05/2025 To 25/05/2025
Time of Monitoring : 09:30 AM To 09:30 AM
Ambient Temperature (°C) : Min.24°C, Max.42°C
Surrounding Activity : Human, Vehicular & Others Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours
Parameter Required : As per work order

| S.No. | Test Parameters | Test Method | Results | Units | Limits as per NAAQS |
|------------------------------|----------------------------------|------------------------------|---------|-------|---------------------|
| Discipline : Chemical | | | | | |
| 1 | Particulate Matter as (PM2.5) | IS 5182 (P-24):2019 | 50.29 | µg/m3 | 60 |
| 2 | Particulate Matter as (PM10) | IS 5182 (P-23):2006 RA:2017 | 89.10 | µg/m3 | 100 |
| 3 | Suspended Particulate Matter | IS 5182 (P-4): 1999 RA:2019 | 222.93 | µg/m3 | Not Specified |
| 4 | Nitrogen Dioxide as (NO2) | IS 5182 (P-6) : 2006,RA:2022 | 21.23 | µg/m3 | 80 |
| 5 | Sulphur Dioxide as (SO2) | IS 5182 (P-2) : RA:2023 | 15.24 | µg/m3 | 80 |
| 6 | #Carbon Monoxide as CO (by NDIR) | IS 5182 (P-10):1999 | 0.70 | mg/m3 | 4 |

#-indicates 1 hour monitoring of CO.

End of Report

Reviewed By



Authorized Signatory



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.



Vardan Envirolab LLP

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (HR)
ISO 9001 | ISO 14001 | ISO 45001



Test Report

Page No. 1/1

Sample Number : VEL/AP/02
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2505271015
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 31/05/2025
Period of Analysis : 27/05/2025-29/05/2025
Receipt Date : 27/05/2025
ULR No. : TC629925200005717F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Jaliya
Sample Collected By : VEL Representative (Mr. Rajesj)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/04 & FPS/04
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 24/05/2025 To 25/05/2025
Time of Monitoring : 10:30 AM To 10:30 AM
Ambient Temperature (°C) : Min.24°C, Max.42°C
Surrounding Activity : Human, Vehicular & Others Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours
Parameter Required : As per work order

| S.No. | Test Parameters | Test Method | Results | Units | Limits as per NAAQS |
|------------------------------|----------------------------------|------------------------------|---------|-------|---------------------|
| Discipline : Chemical | | | | | |
| 1 | Particulate Matter as (PM2.5) | IS 5182 (P-24):2019 | 53.54 | µg/m3 | 60 |
| 2 | Particulate Matter as (PM10) | IS 5182 (P-23):2006 RA:2017 | 92.70 | µg/m3 | 100 |
| 3 | Suspended Particulate Matter | IS 5182 (P-4): 1999 RA:2019 | 230.33 | µg/m3 | Not Specified |
| 4 | Nitrogen Dioxide as (NO2) | IS 5182 (P-6) : 2006,RA:2022 | 17.75 | µg/m3 | 80 |
| 5 | Sulphur Dioxide as (SO2) | IS 5182 (P-2) : RA:2023 | 11.61 | µg/m3 | 80 |
| 6 | #Carbon Monoxide as CO (by NDIR) | IS 5182 (P-10):1999 | 0.67 | mg/m3 | 4 |

#-indicates 1 hour monitoring of CO.

End of Report

Reviewed By



Authorized Signatory



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media course without prior written permission on the laboratory.



Vardan Envirolab LLP

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (HR)
ISO 9001 | ISO 14001 | ISO 45001



Test Report

Page No. 1/1

Sample Number : VEL/AP/03
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2505271016
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 31/05/2025
Period of Analysis : 27/05/2025-29/05/2025
Receipt Date : 27/05/2025
ULR No. : TC629925200005718F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Davpura
Sample Collected By : VEL Representative (Mr. Rajesj)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/01 & FPS/04
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 24/05/2025 To 25/05/2025
Time of Monitoring : 11:20 AM To 11:20 AM
Ambient Temperature (°C) : Min.24°C, Max.42°C
Surrounding Activity : Human, Vehicular & Others Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours
Parameter Required : As per work order

| S.No. | Test Parameters | Test Method | Results | Units | Limits as per NAAQS |
|------------------------------|----------------------------------|------------------------------|---------|-------|---------------------|
| Discipline : Chemical | | | | | |
| 1 | Particulate Matter as (PM2.5) | IS 5182 (P-24):2019 | 48.62 | µg/m3 | 60 |
| 2 | Particulate Matter as (PM10) | IS 5182 (P-23):2006 RA:2017 | 84.29 | µg/m3 | 100 |
| 3 | Suspended Particulate Matter | IS 5182 (P-4): 1999 RA:2019 | 238.48 | µg/m3 | Not Specified |
| 4 | Nitrogen Dioxide as (NO2) | IS 5182 (P-6) : 2006,RA:2022 | 16.57 | µg/m3 | 80 |
| 5 | Sulphur Dioxide as (SO2) | IS 5182 (P-2) : RA:2023 | 12.25 | µg/m3 | 80 |
| 6 | #Carbon Monoxide as CO (by NDIR) | IS 5182 (P-10):1999 | 0.67 | mg/m3 | 4 |

Note - # indicates 1 hour monitoring of CO.

End of Report


Reviewed By



Authorized Signatory

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not clean the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory



Vardan Envirolab LLP

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (HR)
ISO 9001 | ISO 14001 | ISO 45001



TC-6299

Test Report

Page No. 1/1

Sample Number : VEL/AP/04
Name & Address of the Party : M/s Jindal Saw Limited (Lampiya Mine)
Araji No-9697/6711, Near Tiranga Hills, District-
Bhilwara-311802 (Raj)

Report No. : VEL/AP/2505271017
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 31/05/2025
Period of Analysis : 27/05/2025-29/05/2025
Receipt Date : 27/05/2025
ULR No. : TC629925200005719F

Name of Sample : Ambient Air
Sample Group : Atmospheric Pollution

General Information

Sampling Location : Village-Lampiya
Sample Collected By : VEL Representative (Mr. Rajesj)
Sampling Equipment used : RDS/FPS
Instrument Code : VEL/INS/ENV/RDS/04 & FPS/01
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 24/05/2025 To 25/05/2025
Time of Monitoring : 12:00 PM To 12:00 PM
Ambient Temperature (°C) : Min.24°C, Max.42°C
Surrounding Activity : Human, Vehicular & Others Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS: 5182 & CPCB Guidelines
Sampling Duration : 24.0 Hours
Parameter Required : As per work order

| S.No. | Test Parameters | Test Method | Results | Units | Limits as per NAAQS |
|------------------------------|--|------------------------------|---------|-------------------|---------------------|
| Discipline : Chemical | | | | | |
| 1 | Particulate Matter as (PM2.5) | IS 5182 (P-24):2019 | 55.95 | µg/m ³ | 60 |
| 2 | Particulate Matter as (PM10) | IS 5182 (P-23):2006 RA:2017 | 80.09 | µg/m ³ | 100 |
| 3 | Suspended Particulate Matter | IS 5182 (P-4): 1999 RA:2019 | 251.95 | µg/m ³ | Not Specified |
| 4 | Nitrogen Dioxide as (NO ₂) | IS 5182 (P-6) : 2006,RA:2022 | 21.48 | µg/m ³ | 80 |
| 5 | Sulphur Dioxide as (SO ₂) | IS 5182 (P-2) : RA:2023 | 16.17 | µg/m ³ | 80 |
| 6 | #Carbon Monoxide as CO (by NDIR) | IS 5182 (P-10):1999 | 0.70 | mg/m ³ | 4 |

Note - # indicates 1 hour monitoring of CO.

End of Report

Reviewed By



Authorized Signatory



Terms & Conditions

- The results reported relate only to the samples tested. In case samples are drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at environment@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertisement or media purposes without prior written permission on the laboratory.