



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2015 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrnanj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400002199F	Date :	14-08-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Araji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	02-08-2019
Point of Collection :	Near Tiranga Pit (74°32'07"N 29°19'03"E)	Date of Receipt :	06-08-2019
Date of Test/Analysis :	06-08-2019 to 14-08-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	N/A	Sample Collected By :	Banwari Lai Kumawat
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	250	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	10.57	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	208.96	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	27.02	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	4.46	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	60.57	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Purayon
Purayon Mal Yogi
Senior Analyst

Rajesh
Rajesh Maheshwar
Authorized Signatory

(Report No: TC502519400002199F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



TC-5025

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400002200F	Date :	14-08-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) - Dhedwas Iron Ore Copper & Associated Minerals Mines Arajai No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	03-08-2019
Point of Collection :	Samodi village (74°32'57"N, 25°20'53"E)	Date of Receipt :	06-08-2019
Date of Test/Analysis :	06-08-2019 to 14-08-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	N/A	Sample Collected By :	Banwari Lal Kumawat
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m ³]	210	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO ₂ [microgram/m ³]	10.25	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m ³]	145.72	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM _{2.5}) [microgram/m ³]	23.45	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m ³]	4.26	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM ₁₀) [microgram/m ³]	48.75	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6,7 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran
Puran Mal Yogi
Senior Analyst

Rajesh
Rajesh Maheshwari
Authorized Signatory

(Report No: TC502519400002200F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2015 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400002201F	Date :	14-08-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Araji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	02-08-2019
Point of Collection	Suras Pit (74°34'11"N,25°23'24"E)	Date of Receipt :	06-08-2019
Date of Test/Analysis :	06-08-2019 to 14-08-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	N/A	Sample Collected By :	Banwari Lal Kumawat
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m ³]	280	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO ₂ [microgram/m ³]	13.29	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m ³]	184.67	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM _{2.5}) [microgram/m ³]	30.28	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m ³]	5.57	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM ₁₀) [microgram/m ³]	61.78	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6,7 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi
Senior Analyst

Raj
Rajesh Maheshwan
Authorized Signatory
(Report No: TC502519400002201F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



TC-5025

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400002202F	Date :	14-08-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	02-08-2019
Point of Collection :	Dhulkhera Pit [74°34'31"N 25°23'37"E]	Date of Receipt :	06-08-2019
Date of Test/Analysis :	06-08-2019 to 14-08-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	N/A	Sample Collected By :	Banwari Lal Kumawat
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	330	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO ₂ [microgram/m3]	13.29	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	143.33	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM _{2.5}) [microgram/m3]	26.49	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	4.85	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM ₁₀) [microgram/m3]	61.82	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Purni Mal Yogi
Senior Analyst

Rajesh Maheshwan
Authorized Signatory
(Report No: TC502519400002202F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



TC-5025

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400002353F	Date :	29-08-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Arajai No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	24-08-2019
Point of Collection :	Near Tiranga Pit (74°32'07"N 29°19'03"E)	Date of Receipt :	26-08-2019
Date of Test/Analysis :	26-08-2019 to 29-08-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	290	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	10.51	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	154.99	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	27.3	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	5.59	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	61.27	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi
Puran Mal Yogi
Senior Analyst

Raiesh Maheshwari
Raiesh Maheshwari
Authorized Signatory
(Report No: TC502519400002353F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



TC-5025

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2015 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No.:	TC502519400002354F	Date :	29-08-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Arajai No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	24-08-2019
Point of Collection :	Samodi Village (74°32'42" N 25°20'02"E]	Date of Receipt :	26-08-2019
Date of Test/Analysis :	26-08-2019 to 29-08-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m ³]	170	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO ₂ [microgram/m ³]	8.97	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m ³]	122.31	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM _{2.5}) [microgram/m ³]	23.49	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m ³]	7.76	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m ³]	40.39	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran
Puran Mai Yogi
Senior Analyst

Rajesh
Rajesh Maheshwan
Authorized Signatory
(Report No: TC502519400002354F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



TC-5025

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400002355F	Date :	29-08-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Araji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan).	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	22-08-2019
Point of Collection :	Dhulkhera Pit [74°34'31"N 25°23'37"E]	Date of Receipt :	26-08-2019
Date of Test/Analysis :	26-08-2019 to 29-08-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	180	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	11.62	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	140.71	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	20.48	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	5.62	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	57.57	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran
Puran Mal Yogi
Senior Analyst

Rajesh
Rajesh Maheshwan
Authorized Signatory
(Report No: TC502519400002355F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



TC-5025

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400002356F	Date :	29-08-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Araji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	24-08-2019
Point of Collection :	Suras Pit (74°34'11"N,25°23'24"E)	Date of Receipt :	26-08-2019
Date of Test/Analysis :	26-08-2019 to 29-08-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	320	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	13.52	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	120.35	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	26.32	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	5.59	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	53.06	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi
Puran Mal Yogi

Senior Analyst

Rajesh Maheshwari
Rajesh Maheshwari
Authorized Signatory

(Report No: TC502519400002356F)