Scope of Approval

TN/AD2000-W0/21953/26

Report No. / Manufacturer No. / Validity remark: 8125342146 / 21953 / 09.2026 - 09.2029

to the Certificate as Material Manufacturer acc. to AD 2000-Merkblatt W 0

JINDAL SAW LIMITED

A-59/60, MIDC Malegaon, Sinnar - 422113, Dist. Nashik, Maharashtra, India

Revision status:

Hamburg, 25.09.2026

TÜVNORD Digitally signed by Koch Stefan Dr.

Certification Body

TÜV NORD Systems GmbH & Co. KG
Große Bahnstraße 31, 22525 Hamburg, Germany
tuev-nord.de | certifications@tuev-nord.de

TÜV®

Scope of Approval

TN/AD2000-W0/21953/26

Report No. / Manufacturer No. / Validity remark: 8125342146 / 21953 / 09.2026 - 09.2029

No.	material designation / product form / specification	dimensions / (unit) weight / heat treatment / delivery condition (EN 10027)	AD 2000	remarks
1	P195TR2 (1.0108) / Seamless Pipes & Tubes / EN 10216-1	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	
2	P235TR2 (1.0255) / Seamless Pipes & Tubes / EN 10216-1	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	
3	P265TR2 (1.0259) / Seamless Pipes & Tubes / EN 10216-1	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	
4	P195GH (1.0348) / Seamless Pipes & Tubes / EN 10216-2	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	
5	P235GH (1.0345) / Seamless Pipes & Tubes / EN 10216-2	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	
6	P265GH (1.0425) / Seamless Pipes & Tubes / EN 10216-2	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	
7	10CrMo5-5 (1.7338) / Seamless Pipes & Tubes / EN 10216-2	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +NT, +QT	W4	with IC 3.2 in acc.EN 10204
8	13CrMo4-5 (1.7335) / Seamless Pipes & Tubes / EN 10216-2	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +NT, +QT	W4	with IC 3.2 in acc.EN 10204
9	10CrMo9-10 (1.7380) / Seamless Pipes & Tubes / EN 10216-2	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +NT, +QT	W4	with IC 3.2 in acc.EN 10204

Scope of Approval

TN/AD2000-W0/21953/26

Report No. / Manufacturer No. / Validity remark: 8125342146 / 21953 / 09.2026 - 09.2029

No.	material designation / product form / specification	dimensions / (unit) weight / heat treatment / delivery condition (EN 10027)	AD 2000	remarks
10	P355N (1.0562) / Seamless Pipes & Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	with IC 3.2 in acc.EN 10204
11	P355NH (1.0565) / Seamless Pipes & Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	with IC 3.2 in acc.EN 10204
12	16Mo3 (1.5415) / Seamless Pipes & Tubes / EN 10216-2	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	with IC 3.2 in acc.EN 10204
13	P275NL1 (1.0488) / Seamless Pipes & Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	with IC 3.2 in acc.EN 10204
14	P275NL2 (1.1104) / Seamless Pipes & Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	with IC 3.2 in acc.EN 10204
15	P355NL1 (1.0566) / Seamless Pipes & Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	with IC 3.2 in acc.EN 10204
16	P355NL2 (1.1106) / Seamless Pipes & Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	with IC 3.2 in acc.EN 10204
17	P460N (1.8905) / Seamless Pipes & Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N, +NT, +QT	W4	with IC 3.2 in acc.EN 10204
18	P460NH (1.8935) / Seamless Pipes & Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N, +NT, +QT		with IC 3.2 in acc.EN 10204

Scope of Approval

TN/AD2000-W0/21953/26

Report No. / Manufacturer No. / Validity remark: 8125342146 / 21953 / 09.2026 - 09.2029

No.	material designation / product form / specification	dimensions / (unit) weight / heat treatment / delivery condition (EN 10027)	AD 2000	remarks
19	P460NL1 (1.8915) Seamless Pipes / Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N, +NT, +QT	W4	with IC 3.2 in acc.EN 10204
20	P460NL2 (1.8918) Seamless Pipes / Tubes / EN 10216-3	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N, +NT, +QT	W4	with IC 3.2 in acc.EN 10204
21	P215NL (1.0451) Seamless Pipes / Tubes / EN 10216-4	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	
22	P265NL (1.0453) Seamless Pipes / Tubes / EN 10216-4	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	
23	E235 (1.0212) Seamless Pipes / Tubes / EN 10305-4	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	
24	E355 (1.0580) Seamless Pipes / Tubes / EN 10305-4	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	W4	

Scope of Approval

TN/AD2000-W0/21953/26

Report No. / Manufacturer No. / Validity remark: 8125342146 / 21953 / 09.2026 - 09.2029

No.	material designation / product form / specification	dimensions / (unit) weight / heat treatment / delivery condition (EN 10027)	AD 2000	remarks
25	Grade A, B / Seamless Pipes & Tubes / ASTM A/ASME SA-53	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	*)	*) use in the area AD2000-regulation a particular material appraisal (PMA) is necessary
26	Grade A, B, C / Seamless Pipes & Tubes / ASTM A/ASME SA-106	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	*)	
27	ASME SA 179 / Seamless Pipes & Tubes / ASTM A/ASME SA-179	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	*)	
28	ASME SA 192 / Seamless Pipes & Tubes / ASTM A/ASME SA-192	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	*)	
29	Grade A1, C / Seamless Pipes & Tubes / ASTM A/ASME SA-210	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	*)	
30	Grade T1, T2, T5, T5b, T5c, T9, T11, T12, T22, T91 Type 1&2/ Seamless Pipes & Tubes / ASTM A/ASME SA-213	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	*)	
31	Grade 1, 6 / Seamless Pipes & Tubes / ASTM A/ASME SA-333	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	*)	
32	Grade P1, P2, P5, P5b, P5c, P9, P11, P12, P22, P91Type 1&2/ Seamless Pipes & Tubes / ASTM A/ASME SA-335	2 ≤ t ≤ 45 mm, 19 ≤ OD Ø ≤ 457,2 mm / +N	*)	